

KONTAKT simon

**SWITCHES
AND SOCKETS**

FRAMES Simon 54
Premium



MODULES Simon 54

FRAMES Simon 54 *NATURE*



- 18 IP20/IP44 SWITCHES AND PUSH-BUTTONS (MODULES)
- 22 SOCKETS (MODULES)
- 26 AERIAL, LOUDSPEAKER AND HDMI SOCKETS (MODULES)
- 29 IT / TELEPHONE SOCKETS (MODULES)
- 31 IT / TELEPHONE SOCKETS INSERTS
- 33 OTHER PRODUCTS
- 35 ELECTRONIC PRODUCTS (MODULES)
- 38 ELECTRONIC PRODUCTS WITH FRAME ADAPTOR (MODULES)
- 42 SIMON 54 PREMIUM FRAMES
- 45 SIMON 54 NATURE FRAMES
- 48 IP44 FRAME SEALS FOR SIMON 54 PREMIUM
AND SIMON 54 NATURE
- 49 ACCESSORIES

KONTAKT simon

SIMON 54 PREMIUM SERIES COMBINED ORIGINAL DESIGN WITH EXTENSIVE FUNCTIONALITY. THIS MODERN LINE, IN ADDITION TO BASIC PRODUCTS, PROPOSES A NUMBER OF ADDITIONAL DEVICES, SUCH AS FLOODING AND GAS SENSORS, RADIO, DIGITAL TIMER, ETC. NOBLE COLOR PALETTE, ALLOWS CREATE UP TO 66 STYLISH COMBINATIONS. SIMON 54 PREMIUM PRODUCTS ELEGANTLY CROWNED EVERY ARRANGEMENT, ESPECIALLY ONE IN WHICH REIGN NATURAL MATERIALS – WOOD, STONE, STEEL, GLASS.



Simon 54

Premium



KONTAKT simon

SWITCHES, SOCKETS, DIMMERS – OUTSIDE FUNCTIONALITY CAN BE A PART OF THE INTERIOR DESIGN. SIMON 54 NATURE IS DEDICATED TO PEOPLE WHO ARE EXPECTING AN ESTHETIC EXPERIENCE FROM INTERIOR. AN EXTENSIVE COLLECTION OF FRAMES MADE FROM NATURAL MATERIALS - WOOD, GLASS AND METAL - ALLOWS YOU TO CHOOSE COLOR AND TEXTURE DEPENDING ON YOUR NEEDS AND PREFERENCES. AN ELEGANT SIMON 54 NATURE WAS CHOSEN BY THE OWNERS OF SPACIOUS APPARTMENT PLACED IN AN OLD FACTORY BUILDING. DARK FRAMES USED IN THE APARTMENT AND LIGHT COLOR OF WALLS ARE IN PERFECT HARMONY WITH THE MODERN DESIGN OF THE PLACE.



Simon **54** *NATURE*



FRAMES Simon54 *Premium*

METAL FRAMES

Rustic copper
DR1/36



Gold
DR1/66



Dark steel
DR1/67



Inox
DR1/61



Chrome
DR1/63



METALLIZED FRAMES

Silver matt
DR1/43



Gold matt
DR1/44



Bronze matt
DR1/46



Anthracite
DR1/48



PASTEL FRAMES

White
DR1/11



Cream
DR1/41



GLASS FRAMES

Pearl white
DRN1/70



Lime sorbet
DRN1/90



Moon lava
DRN1/74



Frozen lava
DRN1/73



Silver mist
DRN1/71



Tempting plum
DRN1/89



Storm cloud
DRN1/72



METAL FRAMES

Satin glare
DRN1/79



Satin dusk
DRN1/80



Classic Inox
DRN1/77



Inox Yin
DRN1/78



Inox Yang
DRN1/76



WOODEN FRAMES

Silver venge
DRN1/84



Golden venge
DRN1/85



Golden walnut
DRN1/86



KONTAKT simon **SWITCHES** **AND SOCKETS** **TECHNICAL** **ADVANTAGES**




Blue LED button
backlight.



Special frames for plasterboard
installation boxes
which guarantee perfect
clinging to the wall.

11 frame colors and 6 button colors allow
to create 66 color combinations.



All frames from
1 to 5 gang are
designed to be
installed both
vertically and
horizontally.



All Simon 54 socket outlets come **fitted with shutters** which protect against risk of electric shock.

Simon Basic

Simon Classic


Simon 15

Simon 27 Play


Simon Akord

Simon Aquarius

Technical information



Quick installation thanks to push-in fittings with easy release system in screwless version of socket.









New bridge enables precise placing the mechanism thanks to supports for the level.



Modern solutions: FM radio, roller blind programmer, gas detector and flood sensor.

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized**IP20/IP44* SWITCHES AND PUSH-BUTTONS (MODULES)**

	DW1.01/..	Single pole switch (module) 10 AX, 250 V~, push-in fittings	10 / 5
	DW1A.01/..	Single pole switch (module) 16 AX, 250 V~, screw clamps	10 / 5
	DW8.01/..	Universal switch - Two-way (modul) 10AX, 250V~, push-in fittings. Can be used as Two-way or Single switch	10 / 5
	DW1L.01/..	LED illuminated single pole switch (module) 10 AX, 250 V~, push-in fittings	10 / 5
	DW1AL.01/..	LED illuminated single pole switch (module) 16 AX, 250 V~, screw clamps	10 / 5
	DW1ZL.01/..	Single pole switch with LED indicator (module) 10 AX, 250 V~, push-in fittings	10 / 5
	DW5.01/..	Two-circuit switch (module) 10 AX, 250 V~, push-in fittings	10 / 5
	DW5A.01/..	Two-circuit switch (module) 16 AX, 250 V~, screw clamps	10 / 5
	DW5B.01/..	Two-circuit switch, for IP44 version (module) 10 AX, 250 V~, push-in fittings	10 / 5
	DW5BL.01/..	LED illuminated two-circuit switch for IP44 version (module) 10 AX, 250 V~, push-in fittings ■ Equipped with a sealing insert for DU1W rockers	10 / 5
	DW5ABL.01/..	LED illuminated two-circuit switch for IP44 version (module) 16 AX, 250 V~, screw clamps ■ Equipped with a sealing insert for DU1W rockers	10 / 5
	DW6.01/..	Two-way switch (module) 10 AX, 250 V~, push-in fittings	10 / 5
	DW6A.01/..	Two-way switch (module) 16 AX, 250 V~, screw clamps	10 / 5
	DW6L.01/..	LED illuminated two-way switch (module) 10 AX, 250 V~, push-in fittings	10 / 5
	DW6AL.01/..	LED illuminated two-way switch (module) 16 AX, 250 V~, screw clamps	10 / 5

* In order to obtain IP44 splash-proofness, a frame sealing from page 48 should be applied. It concerns all switches and push-buttons. Additionally, in double switches a sealing insert from page 49 should be applied (except DW5B.01, DW5BL.01 and DW5ABL.01).

11

41

43

44


46






48

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized

Simon 54



	DW6/2.01/..	Double two-way switch (module) 10 AX, 250 V~, screw clamps	10 / 5
	DW6/2L.01/..	Illuminated double two-way switch (module) 10 AX, 250 V~, screw clamps	10 / 5
	DW7.01/.. DW7A.01/..	Intermediate switch (module) 10 AX, 250 V~, push-in fittings Intermediate switch (module) 16 AX, 250 V~, screw clamps	10 / 5 10 / 5
	DW7L.01/..	LED illuminated intermediate switch (module) 10 AX, 250 V~, push-in fittings	10 / 5
	DW7/2.01/.. NEW	Double intermediate switch (module) 10 AX, 250 V~, push-in fittings	10 / 5

* In order to obtain IP44 splash-proofness, a frame sealing from page 48 should be applied. It concerns all switches and push-buttons. Additionally, in double switches a sealing insert from page 49 should be applied (except DW5B.01, DW5BL.01 and DW5ABL.01).

Simon Basic

Simon Classic

Simon 15

Simon 27 Play








Simon Akord

Simon Aquarius

Technical information

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized

	DW7/2L.01/.. NEW	Illuminated double intermediate switch (module) 10 AX, 250 V~, push-in fittings	10 / 5
	DW2.01/.. DW2A.01/..	Double pole switch (module) 10 AX, 250 V~, push-in fittings Double pole switch (module) 16 AX, 250 V~, screw clamps	10 / 5 10 / 5
	DW2L.01/..	LED illuminated double pole switch (module) 10 AX, 250 V~, push-in fittings	10 / 5
	DZP1.01/.. DZP1W.01/..	Roller blind push-button (module) 10 AX, 250 V~, push-in fittings Roller blind control switch for multilocation control (module) 10 AX, 250 V~, screw clamps	10 / 5 10 / 5
	DZW1K.01/.. NEW	Roller blind switch, 3 positions "I-O-II" (module) 10 A, 250 V~, push-in fittings ! Replacing DZW1.01/..	10 / 5
	DZW2.01/..	Roller blind control switch double (modul), 250V~, push-in fittings ! With decorative frame adapter ! AVAILABLE ONLY IN COLORS: 43 44 46 48	10 / 5
	DD1.01/..	Single "bell" push button (module) 10 AX, 250 V~, push-in fittings	10 / 5

11

41

43








44

46

48


How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized

	DD1L.01/..	Illuminated single "bell" push button (module) 10 AX, 250 V~, push-in fittings	10 / 5
	DS1.01/..	Single "light" push button (module) 10 AX, 250 V~, push-in fitting	10 / 5
	DS1L.01/..	LED illuminated single "light" push button (module) 10 AX, 250 V~, push-in fitting	10 / 5
	DP1.01/..	Single contact push button without the pictogram (module) 10 AX, 250 V~, push-in fitting	10 / 5
	DP1A.01/..	Single contact push button without the pictogram (module) 16 AX, 250 V~, screw clamps	10 / 5
	DPR1.01/..	Single break push button without the pictogram (module) 10 AX, 250 V~, push-in fitting	10 / 5
	DP1L.01/..	LED illuminated single push button, without the pictogram (module) 10 AX, 250 V~, push-in fitting	10 / 5
	DP1AL.01/..	LED illuminated contact single button without pictogram (module) 16 AX, 250 V~, screw clamps	10 / 5
	DP2.01/..	Double contact push button, without the pictogram (module) 10 AX, 250 V~, push-in fitting	10 / 5
	DWH1.01/..	Illuminated hotel switch (module), the nominal current 10 (2) A (module) Relay required ❗ Only for Simon 54 Premium frames	10 / 5
	DWH2.01/..	Double illuminated hotel switch (module), the nominal current 10 (2) A Relay required ❗ Only for Simon 54 Premium frames	10 / 5

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized



Roller blind switch with key

To control external roller blinds or awnings and fitted with key against unauthorized access.



DW1K.01/..

Single pole switch with a key (module) 2 positioned "0-I", contact N/O, 5 A, 250 V~
The key removable in every position

10 / 5

DP1K.01/..

Momentary single switch with a key (module) 2 positioned "0-I", contact N/O, 5 A, 250 V~
The key removable in 0 position

10 / 5



DWZK.01/..

Roller blind control switch with a key (module) 3 positioned "I-0-II", 2 contacts N/O 5 A, 250 V~
The key removable in every position

10 / 5

DPZK.01/..


Roller blind control switch with a key (module) 3 positioned "I-0-II", 2 contacts N/O 5 A, 250 V~
The key removable only in "0" position

10 / 5

SOCKETS (MODULES)




DGZ2MZ.01/..

Double socket outlet with earthing and shutters (module) 16 A, 250 V~, screw clamps
 Only for Simon 54 Premium frames

10 / 5


DGZ2MZN.01/..
NEW

Double socket outlet with earthing and shutters (module) 16 A, 250 V~, screw clamps
 Only for Simon 54 Nature frames

10 / 5




DG2MZ.01/..

Double socket outlet without earthing, with shutters (module) 16 A, 250 V~, screw clamps
 Only for Simon 54 Premium frames

10 / 5

DG2MZN.01/..
NEW

Double socket outlet without earthing, with shutters (module) 16 A, 250 V~, screw clamps
 Only for Simon 54 Nature frames

10 / 5



DGZ1Z.01/..

Socket outlet with earthing and shutters (module) 16 A, 250 V~, screw clamps

10 / 5

DGZ1CZ.01/..

Socket outlet with earthing and shutters (module) 16 A, 250 V~, push-in fitting

10 / 5

* In order to obtain IP44 splash-proofness, a frame sealing from page 48 should be applied. It concerns all switches and push-buttons. Additionally, in double switches a sealing insert from page 49 should be applied (except DW5B.01, DW5BL.01 and DW5ABL.01).

11

41

43

44


46


48

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized

Simon 54

	DGZ1Z.01/22	Socket outlet with earthing and shutters (module) 16 A, 250 V~, push-in fitting. In red	10 / 5
---	-------------	---	--------


	DG1Z.01/..	Socket outlet without earthing, with shutters (module) 16 A, 250 V~, screw clamps	10 / 5
---	------------	---	--------





IP44 splash-proof socket outlet

Keeps safety standards in places of direct contact with water near where power is needed.



	DGZ1BUZ.01/..A	IP44 socket outlet with shutters, without sealing, 16 A, 250 V~, screw clamps, transparent flap ❗ Frame sealing required - see page 48	10 / 5
---	----------------	---	--------

	DGZ1BUZ.01/..	IP44 socket outlet with shutters, without sealing, 16 A, 250 V~, screw clamps, white or cream flap ❗ Frame sealing required - see page 48 ❗ AVAILABLE ONLY IN COLORS: 11 41	10 / 5
---	---------------	---	--------

	DGZ1BZ.01/..A	IP44 socket outlet with shutters and frame sealing (module), 16 A, 250 V~ 16 A, 250 V~, screw clamps, transparent lid ❗ Seal suitable for pastel, metal and metallized frames ❗ Only for Simon 54 Premium frames	10 / 5
---	---------------	--	--------

Simon Basic

Simon Classic

Simon 15

Simon 27 Play








Simon Akord

Simon Aquarius

Technical information

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized

	DGZ1BZ.01/..	IP44 socket outlet with shutters and frame sealing (module) 16 A, 250 V~ 16 A, 250 V~, screw clamps, white or cream flap ! Seal suitable for pastel, metal and metallized frames ! Only for Simon 54 Premium frames	10 / 5
	DGZ1BUZ.01/22 NEW	IP44 socket outlet with shutters, without sealing 16 A, 250 V~, screw clamps, red ! Frame sealing required - see page 48	10 / 5
	DGZ1BUZ.01/33 NEW	IP44 socket outlet with shutters, without sealing 16 A, 250 V~, screw clamps, green ! Frame sealing required - see page 48	10 / 5
	DGZ1BUZ.01/32 NEW	IP44 socket outlet with shutters, without sealing 16 A, 250 V~, screw clamps, orange ! Frame sealing required - see page 48	10 / 5
	DGD1.01/..	DATA socket outlet with socket protection element (module) 16 A, 250 V~, screw clamps	10 / 5
	DGD1.01/22	DATA socket outlet with socket protection element (module) 16 A, 250 V~, screw clamps, red	10 / 5
	DGD1B.01/22	IP44* DATA socket outlet with socket protection element (module) 16 A, 250 V~, screw clamps DATA sign on the lid, red ! Frame sealing required - see page 48	10 / 5

11

41

43








44

46

48





How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized



	DGD1B.01/33	IP44* DATA socket outlet with socket protection element (module) 16 A, 250 V~, screw clamps DATA sign on the lid, green ■ Frame sealing required - see page 48	10 / 5
	DGE1.02/..	Equipotential socket outlet. Connection: 2, 5, 4, 6 mm² (module)	10 / 5
	00965591PEHA	Equipotential plug, sold separately	
	DGSZ1Z.01/..	Shuko socket outlet with shutters (module) 16 A, 250 V~, screw clamps	10 / 5
	DGSZ1CZ.01/..	Schuko socket outlet with shutters (module) 16 A, 250 V~, push-in fittings	10 / 5
	DGSZ1BZ.01/..A <small>NEW</small>	IP44 schuko socket outlet with shutters and frame sealing (module) 16 A, 250 V~ 16 A, 250 V~, screw clamps, transparent lid	
	DGSZ2Z/..	Double Schuko socket outlet with shutters (module) 16 A, 250 V~, screw clamps	10 / 5
	EGSZ2PZ/..	Double socket outlet with Schuko earthing, flush mounted, with shutters, 16 A, 250 V~, screw terminals (Scandinavian version)	
	EGSZ2SPZ/..	Double socket outlet with Schuko earthing, flush mounted, with shutters, 16 A, 250 V~, push-in fittings (Scandinavian version)	

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized

	EGSZ2NZ/..	Double socket outlet with Schuko earthing, wall mounted, with shutters, 16 A, 250 V~, screw terminals (Scandinavian version)
	EGSZ2SNZ/..	Double socket outlet with Schuko earthing, wall mounted, with shutters, 16 A, 250 V~, push-in fittings (Scandinavian version)
	EGSZ4NZ/..	Quadruple socket outlet with Schuko earthing, wall mounted with shutters, 16 A, 250 V~, screw terminals (Scandinavian version)
	EGSZ4SNZ/..	Quadruple socket outlet with Schuko earthing, wall mounted with shutters, 16 A, 250 V~, push-in fittings (Scandinavian version)
	EGSZ2NZB/..	IP 44 double socket outlet with Schuko earthing, wall mounted, with shutters, 16 A, 250 V~, screw terminals (Scandinavian version)

AERIAL, LOUDSPEAKER AND HDMI SOCKETS (MODULES)

	DAK.01/..	RTV final aerial socket, separated (module) 1 dB	10 / 5
	DAPxx.01/..	RTV aerial pass-through socket (module), xx = 10, 14, 16, 18, 20, 23 dB	10 / 5
	DAZ.01/..	RTV final pass-through aerial socket (module) 10 dB	10 / 5
	DASK.01/..	RTV-SAT final aerial socket (module) rTV 1.0 dB, SAT 10 dB	10 / 5
	DASP.01/..	RTV-SAT pass through aerial socket (module) r 11 dB, TV-SAT 10 dB	10 / 5

11

41

43

44


46

48

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized

Simon 54



	DASK2.01/..	Double R-TV SAT-SAT final aerial socket (module)	10 / 5
	DAD.01/..	RTV DATA socket (module) input frequency 5-862 MHz	10 / 5
	DAD1.01/.. <small>NEW</small>	TV-Data socket, two output ports type "F" (module), input frequency 5-100 MHz	
	DAK1.01/..	Single TV aerial socket (module)	10 / 5
	DASF1.01/..	Single SAT aerial socket (module)	10 / 5

Simon Basic

Simon Classic

Simon 15

Simon 27 Play

Simon Akord

Simon Aquarius

Technical information



How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized



	DASF2.01/.. <small>NEW</small>	Double aerial socket type „F” (module)	
	DASFRJ45.01/.. <small>NEW</small>	Aerial socket type „F” + RJ45 socket cat.6 (module)	
	DGL31.01/..	Single loudspeaker socket (module) for connecting 1 loudspeaker - input and output wires up to 2,5 mm²	10 / 5
	DGL32.01/..	Double loudspeaker socket (module) for connecting 2 loudspeakers - input and output wires up to 2,5 mm²	10 / 5
	DGL34.01/..	Quadruple loudspeaker socket (module) for connecting 4 loudspeakers - input and output wires up to 2,5 mm²	10 / 5
	DGL2.01/.. <small>NEW</small>	Single Loudspeaker socket, (module), output wire up to 6 mm²	10 / 5
	DGHDMI.01/..	HDMI socket (module)	10 / 5


How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized

	DGHDMI2.01/..	Double HDMI socket (module)	10 / 5
	DGHRJ45.01/.. <small>NEW</small>	HDMI socket + RJ45 socket cat.6. (module)	


IT / TELEPHONE SOCKETS (MODULES)


	DT1.01/..	Single RJ12 telephone socket (module)	10 / 5
	DT2.01/..	Double RJ12 telephone socket (module)	10 / 5



IT socket RJ45








With anti-dust covers to protect socket contacts.



	D61.01/..	Single computer socket RJ45 6 category, with antidust cover (module)	10 / 5
---	-----------	--	--------

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized


	D61E.01/..	Single computer socket RJ45, 6 category STP, shielded, with antidust cover (module)	10 / 5
	D62.01/..	Double computer socket RJ45, 6 category, with antidust cover (module)	10 / 5
	D62E.01/..	Double computer socket RJ45, 6 category, shielded with antidust cover (module)	10 / 5
	D5T.01/..	RJ45 Computer socket, 5e category + RJ12 telephone socket (module)	10 / 5
	DKP2.01/..	Double Keystone flat IT/telephone socket cover (module) ! Dedicated RJ45 inserts below	
	DKP1S.01/..	IT/telephone Keystone, diagonal socket cover with descriptive field (module) ! Dedicated RJ45 inserts below	
	BWB/..	Blind for RJ45/RJ12 IT/telephone socket	

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour






Packaging unit (pcs)
colours: white, cream/metallized

IT / TELEPHONE SOCKETS INSERTS




Telephone sockets inserts

	RJ12	RJ12 telephone socket insert, Leviton
---	------	---------------------------------------


Category 5e – UTP (unshielded)

	CJ45U	RJ45 computer socket insert, 5e category UTP, AMP
	ARJ455e	RJ45 computer socket insert, 5e category UTP, AMP
	KRJ455e	RJ45 computer socket insert, 5e category, UTP, Krone, type H ! Apply with single, slanted cover DKP1S.01/..
	LRJ455e	RJ45 computer socket insert, 5e category UTP, Leviton
	MRJ455e	RJ45 computer socket insert, 5e category UTP, Molex

Category 5e – FTP/STP (shielded)

	CJ545FM	RJ45 computer socket insert, cat. 5e FTP, Simon Connect ! Apply with single, slanted cover DKP1S.01/..
	KRJ455ekr	RJ45 computer socket insert, cat. 5e STP, Krone type HK ! Apply with single, slanted cover DKP1S.01/..
	LRJ455ekr	RJ45 computer socket insert, cat. 5e STP, Leviton





Category 6 – UTP (unshielded)

	CJ645u	RJ45 computer socket insert, cat. 6 UTP, Simon Connect
---	--------	--




White	Cream	Silver matt	Gold matt	Bronze matt	Anthracite
11	41	43	44	46	48

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour


Packaging unit (pcs)
colours: white, cream/metallized

	ARJ456	RJ45 computer socket insert, cat. 6 UTP, AMP
	KRJ456	RJ45 computer socket insert, cat. 6 UTP, Krone type KM8 ! Apply with single, slanted cover DKP1S.01/..
	LRJ456	RJ45 computer socket insert, cat. 6 UTP, Leviton
	MRJ456	RJ45 computer socket insert, cat. 6 UTP, Molex



Category 6 – FTP/STP (shielded)

	CJ645FM	RJ45 computer socket insert, cat. 6a FTP, Simon Connect ! Apply with single, slanted cover DKP1S.01/..
	KRJ456kr	RJ45 computer socket insert, cat. 6 UTP, Krone type KM8 ! Apply with single, slanted cover DKP1S.01/..
	LRJ456kr	RJ45 computer socket insert, cat. 6 STP (shielded), Leviton

Category 6a – UTP (unshielded)

	LRJ456A	RJ45 computer socket insert, cat. 6a UTP (shielded), Leviton
---	---------	--


Category 6a – FTP/STP (shielded)

	FRJ456Akr	RJ45 computer socket insert, cat. 6a STP, FMT
	LRJ456Akr	RJ45 computer socket insert, cat. 6a STP, Leviton

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized

OTHER PRODUCTS



Cable terminal

Cable terminal in an estetic wire connection for installation box (without a plug) e.g. kitchens hob or hotel hair dryer.



DPK1.01/..

Cable terminal (module)
Max. diameter of wire connected 6,2 - 14,5 mm

10 / 5



DA45.01/..
NEW


Accessory adapter for standard 45 × 45 mm

10 / 5



DPS.01/..
DP/..

Frame blind (module). Assembly with screws or claws
Frame blind without bridge - latch assembly to the frame. For inner modules in multiple frames



DKW1/..
NEW

Single rocker for switches and push buttons










DKW1L/..

Single rocker with an eye for illuminated switches and push buttons

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized

	DKWK1/.. <small>NEW</small>	Single rocker with key pictogram for switches and push buttons; white
	DKW1/22 <small>NEW</small>	Single rocker for switches and push buttons; red
	DKW1/32 <small>NEW</small>	Single rocker for switches and push buttons; orange
	DKW1/33 <small>NEW</small>	Single rocker for switches and push buttons; green
	DKW5/.. <small>NEW</small>	Rockers for double switches and push buttons ! Not suitable for double two-way switch and double intermediate switch
	DKW5L/.. <small>NEW</small>	Rockers with en eye for illuminated double switches and push buttons ! Not suitable for double two-way switch and double intermediate switch
	DKW5/22 <small>NEW</small>	Rockers for double switches and push buttons, red ! Not suitable for double two-way switch and double intermediate switch

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized

Simon 54

Simon Basic

Simon Classic

Simon 15

Simon 27 Play

Simon Akord

Simon Aquarius

Technical information

DKW5/32

NEW



Rockers for double switches and push buttons, orange

⚠ Not suitable for double two-way switch and double intermediate switch

DKW5/33

NEW



Rockers for double switches and push buttons, green


⚠ Not suitable for double two-way switch and double intermediate switch

ELECTRONIC PRODUCTS (MODULES)

DS9T.01/..

Push-rotary dimmer (module), 20-500 W

10 / 5



20÷500 W

DS9V.01/..

Regulator 1-10 V~ (module), for switching on and controlling light with control feeders 1-10 V~

10 / 5



5÷215 W

DS9L2.01/..

NEW


Bipolar rotary dimmer. Designed to use for dimmable LED 230V (module) 5-215W

10 / 5

⚠ 3 or 4-wire installation required




5÷215 W



Remote control dimmer


Allows to change a light intensity manually or remotely through any remote control at home.



DS13T.01/..

Remote control dimmer (module) 20-500 W








10 / 5



20÷500 W

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized

	DWP10P.01/..	Remote control switch with relay (module) 8 (2) A, 230 V~ 3-wire installation required	10 / 5
	DWP10T.01/..	Remote control switch (module) 20-500 W	10 / 5
	DCR10P.01/..	Motion sensor switch with relay (module) 8 (2) A, 230 V~ 3-wire installation required	10 / 5
	DCR10T.01/..	Motion sensor switch (module) 20-500 W	10 / 5
	DCR11P.01/..	Motion sensor switch with relay and control elements, unauthorised access protection (module) 8 (2) A, 230 V~, recommended for public buildings 3-wire installation required	10 / 5
	DCR11T.01/..	Motion sensor switch and control elements, unauthorised access protection (module) 20-500 W, recommended for public buildings	10 / 5
	DWC10P.01/..	Time switch with relay. Switching off delay from 30 seconds to 99 minutes. regulated gradually every 1 minute (module) 8 (2) A, 230 V~ 3-wire installation required	10 / 5
	DWC10T.01/..	Time switch. Switching off delay from 15 seconds to 10 minutes. regulated smoothly (module), 20-500 W	10 / 5
	DWC20P.02/.. NEW	Time switch with relay (module) 16 A, 230 V~, regulated smoothly 1-15 min 3 or 4-wire installation required	

11

41

43







44

46

48

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour


Packaging unit (pcs)
colours: white, cream/metallized

	DSS1.01/..	LED light indicator - white light (module) 230 V~	10 / 5
	DSS2.01/..	LED light indicator - red light (module) 230 V	10 / 5
	DSS3.01/..	LED light indicator - green light (module) 230 V~	10 / 5
	DRT10W.02/..	Temperature regulator with inner detector (module) 16 (2) A, 230 V~, assembly with screws	10 / 5
	DRT10Z.02/..	Temperature regulator with outer detector (module) 16 (2) A, 230 V~, outer sensor (sounder) included. Assembly with screws	10 / 5
	DDS1.01/..	Electronic bell (module) 230 V~	10 / 5
	DDT1.01/..	Electronic bell (module) 8-12 V~	10 / 5

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized

ELECTRONIC PRODUCTS WITH FRAME ADAPTOR (MODULES)



D75405.01/..
NEW

USB and micro-USB charger with collar for cable. Dedicated for smartphones, cameras, etc.

- 1 x USB type A
 - 1x micro USB on 30 cm cable
 - output voltage 5 V DC
 - output current for 1 slot: max 1400 mA
 - output current for both slots working at the same time: max 1500 mA
 - input voltage 100-240 V~ / 50-60 Hz
- protected with overload fuse

! Frame adaptor in color of the module included

! AVAILABLE ONLY IN COLORS: 43 44 46 48



D75310.01/..

Two button dimmer (module) 40-500 W. Large rocker activates 100% of light intensity, small rocker from 10%-90% (gradually by 10%)

For controlling:

- incandescent and halogen lamps 230 V~ (40-500 W)
- halogen lamps powered by electromagnetic transformer (50-500 VA)
- halogen lamps powered by electronic transformer (50-300 VA)

Possibility of applying contact button

! Frame adaptor in color of the module included

! AVAILABLE ONLY IN COLORS: 43 44 46 48



D75817.01/..

Digital thermostat with outer temperature sensor (module)

- for air conditioning or central heating
- automatic mode: 8 programmes hour/day of the week
- temperature modes: comfort (day), saving (night), anti-freezing (2°C)
- 3 languages: English, Spanish, Portuguese
- power supply: 230 V~
- relay output 8 (2) A, break contact

! Frame adaptor in color of the module included

! AVAILABLE ONLY IN COLORS: 43 44 46 48

11

41

43

44

46

48

Packaging unit (pcs)
colours: white, cream/metallized

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour



D75815.01/..

Digital alarm clock (module)

- 2 independent time/day/week alarms
- automatic summer/winter time change
- power supply 230 V~
- ! Frame adapter in color of the module included

! AVAILABLE ONLY IN COLORS: 43 44 46 48



D75818.01/..

Digital programmer (module)

- manual mode: on/off
- automatic mode: 20 programmes (10 - on/10 - off), hour, minute/day of the week
- random mode: presence simulator
- 3 languages: English, Spanish, Portuguese
- automatic summer/winter time change
- power supply: 230 V~
- rely output 8 (2) A, break contact!
- ! Frame adapter in color of the module included

! AVAILABLE ONLY IN COLORS: 43 44 46 48



D75820.01/..

Digital programmer for controlling roller blinds (module)

- manual mode
- programmed blinds rolling up/down(10 up/10 down), according to days of the week
- random mode: presence simulator
- 3 languages: English, Spanish, Portuguese
- power supply: 230 V~
- rely output 5 (1) A
- ! Frame adapter in color of the module included

! AVAILABLE ONLY IN COLORS: 43 44 46 48



D75252.01/..

Digital radio with display (module)

- RDS with memory
- headphone output
- automatic switching off
- mono output power 1 W, impedance 16 Ω,
- power supply: 230 V~
- Work with one loudspeaker code 05562-39 or 05562-39 or two loudspeakers code 05072-39
- ! Frame adapter in color of the module included

! AVAILABLE ONLY IN COLORS: 43 44 46 48



D05562.01/..

Loudspeaker 2 W, 16 Ω (module)

! AVAILABLE ONLY IN COLORS: 43 44 46 48


How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized

	05563-30	Loudspeaker 2" W 16 Ω for false ceilings \varnothing = 65 mm
	05072-39	Loudspeaker 5", 10 W, 32 Ω
	05505-30	5" Loudspeaker cover
	05705-39	5" Loudspeaker box
	D75420.01/..	<p>Surge protector (module)</p> <ul style="list-style-type: none"> • class D protection • protection: 1,5 kV (L/n) • discharge current: 2,5 kA (L/n) - 8/20 μs • light indicating correct/incorrect arrester condition • power supply: 230 V~ <p>❗ Frame adapter in color of the module included</p> <p>❗ AVAILABLE ONLY IN COLORS: 43 44 46 48</p>
	D75861.01/..	<p>Gas detector (module)</p> <p>Gas detector designed in conformity with UnE-En 50194, allows detecting the presence of toxic and explosive gases, such as: butane, propane, town gases, natural gases and others</p> <ul style="list-style-type: none"> • alarm indicated by red LED diode and sound signal, green LED diode indicates correct functioning • being able to control electro valve for the automatic gas supply closure (product code: 81871-39) <p>❗ Each gas detector requires individual power supply (art. D75870.01-..)</p> <p>❗ Frame adapter in color of the module included</p> <p>❗ AVAILABLE ONLY IN COLORS: 43 44 46 48</p>

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized



Flood sensor

Alarm module together with floor sensor prevents from flooding by detecting a leakage and closing remotely a water valve.



D75860.01/..

- Flood detector (module) with one flood sensor
- alarm indicated by red LED diode and sound signal
- automatic water supply closure, after applying electrovalve (art. 81870-39/..)
- connect up to 3 flood sensors (art. 81864-39)
- green diode indicates correct functioning
- ❗ Every flood sensor requires individual power supply (art. D75870.01-..)
- ❗ Frame adapter in color of the module included
- ❗ AVAILABLE ONLY IN COLORS: 43 44 46 48



81871-39

Gas electrovalve 3/4"
Automatic gas supply closure, after applying gas detector (art. D75861.01/..)
Usually open for controlling the gas supply
Manual reset
Power supply: 230 V~
Protection degree: IP54



81864-39

Additional flood sensor for Flood detector






81870-39

Water electrovalve 3/4"
Automatic water supply closure, after applying flood souden (art. D75861.01/..)
Usually open for controlling the water supply
Automatic reset
Power supply: 230 V~
Protection degree: IP65


White	Cream	Silver matt	Gold matt	Bronze matt	Anthracite
11	41	43	44	46	48

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized



















	<p>D75870.01/..</p>	<p>Power supply 12 V~ (module) For flood detector (art. D75860-01) and gas detector (art. D75861-01) Every sensor requires individual power supply Green diode indicates correct functioning  Frame adapter in color of the module included  AVAILABLE ONLY IN COLORS: 43 44 46 48</p>
---	----------------------------	---

Frame clinging to the wall surface









SIMON 54 PREMIUM FRAMES

IP20/IP44* pastel frames




	DR1/11	White		DRK1/11	For plasterboard boxes
	DR2/11			DRK2/11	
	DR3/11			DRK3/11	
	DR4/11			DRK4/11	
	DR5/11			DRK5/11	
	DR1/41	Cream		DRK1/41	For plasterboard boxes
	DR2/41			DRK2/41	
	DR3/41			DRK3/41	
	DR4/41			DRK4/41	
	DR5/41			DRK5/41	

IP20/IP44* metallized frames




	DR1/43	Silver matt		DRK1/43	For plasterboard boxes
	DR2/43			DRK2/43	
	DR3/43			DRK3/43	
	DR4/43			DRK4/43	
	DR5/43			DRK5/43	

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized

	DR1/44	Gold matt	<input type="checkbox"/>	DRK1/44	<input type="checkbox"/>	For plasterboard boxes
	DR2/44		<input type="checkbox"/>	DRK2/44	<input type="checkbox"/>	
	DR3/44		<input type="checkbox"/>	DRK3/44	<input type="checkbox"/>	
	DR4/44		<input type="checkbox"/>	DRK4/44	<input type="checkbox"/>	
	DR5/44		<input type="checkbox"/>	DRK5/44	<input type="checkbox"/>	
	DR1/46	Bronze matt	<input type="checkbox"/>	DRK1/46	<input type="checkbox"/>	For plasterboard boxes
	DR2/46		<input type="checkbox"/>	DRK2/46	<input type="checkbox"/>	
	DR3/46		<input type="checkbox"/>	DRK3/46	<input type="checkbox"/>	
	DR4/46		<input type="checkbox"/>	DRK4/46	<input type="checkbox"/>	
	DR5/46		<input type="checkbox"/>	DRK5/46	<input type="checkbox"/>	
	DR1/48	Anthracite	<input type="checkbox"/>	DRK1/48	<input type="checkbox"/>	For plasterboard boxes
	DR2/48		<input type="checkbox"/>	DRK2/48	<input type="checkbox"/>	
	DR3/48		<input type="checkbox"/>	DRK3/48	<input type="checkbox"/>	
	DR4/48		<input type="checkbox"/>	DRK4/48	<input type="checkbox"/>	
	DR5/48		<input type="checkbox"/>	DRK5/48	<input type="checkbox"/>	

IP20/IP44* metal frames



	DR1/36	Rustic copper	<input type="checkbox"/>
	DR2/36		<input type="checkbox"/>
	DR3/36		<input type="checkbox"/>
	DR4/36		<input type="checkbox"/>
	DR1/61	Inox	<input type="checkbox"/>
	DR2/61		<input type="checkbox"/>
	DR3/61		<input type="checkbox"/>
	DR4/61		<input type="checkbox"/>
	DR1/63	Chrome	<input type="checkbox"/>
	DR2/63		<input type="checkbox"/>
	DR3/63		<input type="checkbox"/>
	DR4/63		<input type="checkbox"/>

* In order to obtain IP44 splash-proofness, a frame sealing from page 48 should be applied.





White	Cream	Silver matt	Gold matt	Bronze matt	Anthracite
11	41	43	44	46	48

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)
colours: white, cream/metallized

	<p>DR1/66</p> <p>DR2/66</p> <p>DR3/66</p> <p>DR4/66</p>	<p>Gold</p> <div> <div></div> <div></div> <div></div> <div></div> </div>	
	<p>DR1/67</p> <p>DR2/67</p> <p>DR3/67</p> <p>DR4/67</p>	<p>Dark steel</p> <div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div> <p>FRAME DIMENSIONS</p> <p>dingle frame 87 x 82 mm</p> <p>double frame 87 x 153 mm</p> <p>triple frame 87 x 224 mm</p> <p>quadruple framee 87 x 295 mm</p> <p>5-gang frame 87 × 366 mm</p>

Surface mounted boxes for Simon 54 Premium

	<p>DPNR2/..</p> <p>NEW</p>	<p>Double corner installation box</p>
	<p>DSC/..</p> <p>NEW</p>	<p>Assembled surface mounted wall box (40 mm), element "C"</p> <p>AVAILABLE IN COLORS: 11 41 43 44 46 48</p>
	<p>DSH/..</p> <p>NEW</p>	<p>Assembled surface mounted wall box (40 mm), element "H"</p> <p>AVAILABLE IN COLORS: 11 41 43 44 46 48</p>
	<p>DPN1/..</p>	<p>Single surface mounted box, 35 mm deep</p> <p>AVAILABLE IN COLORS: 11 41 43 44 46 48</p>

11

41

43



44

46

48









Packaging unit (pcs)
colours: white, cream/metallized

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

	DPN2/..	Double surface mounted box, 35 mm deep AVAILABLE IN COLORS: 11 41 43 44 46 48
	DPN3/..	Triple surface mounted box, 35 mm deep AVAILABLE IN COLORS: 11 41 43 44 46 48






















SIMON 54 NATURE FRAMES

Glass frames



















	DRN1/70 DRN2/70 DRN3/70 DRN4/70 DRN5/70	Pearl white  TEMPERED GLASS ★★★★★	5 5 5 5 5
	DRN1/90 DRN2/90 DRN3/90 DRN4/90 DRN5/90	Sorbet lime  TEMPERED GLASS ★★★★★	5 5 5 5 5
	DRN1/89 DRN2/89 DRN3/89 DRN4/89 DRN5/89	Tempting plum  TEMPERED GLASS ★★★★★	5 5 5 5 5
	DRN1/71 DRN2/71 DRN3/71 DRN4/71 DRN5/71	Silver mist  TEMPERED GLASS ★★★★★	5 5 5 5 5

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)













	DRN1/72	    		5
	DRN2/72			5
	DRN3/72			5
	DRN4/72			5
	DRN5/72			5
	DRN1/74	    		5
	DRN2/74			5
	DRN3/74			5
	DRN4/74			5
	DRN5/74			5
	DRN1/73	    		5
	DRN2/73			5
	DRN3/73			5
	DRN4/73			5
	DRN5/73			5

Metal frames



















	DRN1/79	    		5
	DRN2/79			5
	DRN3/79			5
	DRN4/79			5
	DRN5/79			5
	DRN1/80	    		5
	DRN2/80			5
	DRN3/80			5
	DRN4/80			5
	DRN5/80			5
	DRN1/77	    		5
	DRN2/77			5
	DRN3/77			5
	DRN4/77			5
	DRN5/77			5






How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)






	DRN1/78		5
	DRN2/78		5
	DRN3/78		5
	DRN4/78		5
	DRN5/78		
	DRN1/76		5
	DRN2/76		5
	DRN3/76		5
	DRN4/76		5
	DRN5/76		

Wooden Frames

	DRN1/84		5
	DRN2/84		5
	DRN3/84		5
	DRN4/84		5
	DRN5/84		
	DRN1/85		5
	DRN2/85		5
	DRN3/85		5
	DRN4/85		5
	DRN5/85		
	DRN1/86		5
	DRN2/86		5
	DRN3/86		5
	DRN4/86		5
	DRN5/86		

	FRAME DIMENSIONS
	single frame 96 x 92 mm
	double frame 96 x 163 mm
	triple frame 96 x 234 mm
	quadruple frame 96 x 305 mm
	5-gang frame 96 x 376 mm

IP44 FRAME SEALS FOR SIMON 54 PREMIUM AND SIMON 54 NATURE







	<div>DU1</div> <div>DUN1</div> <div>NEW</div>	<div>Single IP44 frame seal</div> <div>Single IP44 seal for Nature frame</div>
	<div>DU2</div> <div>DUN2</div> <div>NEW</div>	<div>Double IP44 frame seal</div> <div>Double IP44 seal for Nature frame</div>
	<div>DU3</div> <div>DUN3</div> <div>NEW</div>	<div>Triple IP44 frame sealing set</div> <div>Triple IP44 seal for Nature frame</div>
	<div>DU4</div> <div>DUN4</div> <div>NEW</div>	<div>Quadruple IP44 frame seal</div> <div>Quadruple IP44 seal for Nature frame</div>
	<div>DU5</div> <div>DUN5</div> <div>NEW</div>	<div>5-gang IP44 frame seal</div> <div>5-gang IP44 seal for Nature frame</div>

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

Simon 54

ACCESSORIES

	WKSL <small>NEW</small>	Bursts eliminator for energy saving bulbs and LEDs. Dedicated to equipment Kontakt-Simon	
	DPRZ/..	Decorative frame	10 / 5
	DU1W	Sealing insert for double IP44 switches	
	GL3Z/.. <small>NEW</small>	Blind for loudspeaker socket; DGL3.01/..	
	XT100.KEY	Crimping tool for RJ45 computer socket inserts: D61.01/.., D61E.01/.., D62.01/.., D62E.01/.., BM 61.01/.., BM 61E.01/.., BM 62.01/.., BM 62E.01/.., 1591553-.., 1591563-.., 1591554-.., 1591564-..	
	DUL	Blue LED illumination system for switches and push-buttons	

Simon Basic

Simon Classic

Simon 15

Simon 27 Play

Simon Akord

Simon Aquarius

Technical information