

KONTAKT simon

**SWITCHES
AND SOCKETS**

FRAMES Simon Basic
NEOS



MODULES Simon Basic

FRAMES Simon Basic *STANDARD*

Simon 54

Simon Basic

Simon Classic

Simon 15

Simon 27 Play

Simon Akord

Simon Aquarius

Technical information



- 62 IP20 AND IP44 SWITCHES
- 66 IP20 SWITCHES
- 67 SOCKETS
- 70 AERIAL, LOUDSPEAKER AND HDMI SOCKETS
- 73 IT / TELEPHONE SOCKETS
- 76 TELEPHONE SOCKET INSERTS
- 76 IT SOCKET INSERTS
- 78 ELECTRONIC PRODUCTS
- 80 OTHER PRODUCTS
- 81 SIMON BASIC NEOS FRAMES
- 86 SIMON BASIC STANDARD FRAMES
- 88 IP44 FRAME SEALS FOR SIMON BASIC NEOS
AND SIMON BASIC STANDARD
- 89 ACCESSORIES

KONTAKT simon

SIMON BASIC NEOS IS A COMBINATION OF ONE OF THE MOST FUNCTIONAL SERIES ON THE MARKET WITH MODERN DESIGN AND RICH COLOR PALETTE. COMBINING MODULES WITH FRAMES WE GET MODERN, SOFT AND ELEGANT PRODUCT. IN SIMON BASIC NEOS THERE IS 15 COLORS OF FRAMES AND 7 COLORS OF MODULES. WHITE SWITCHES AND SOCKETS SELECTED BY THE RESIDENT PERFECTLY FULFILL ITS FUNCTION. IN SCANDINAVIAN STYLE APARTMENT MODERN ACCESSORIES OFTEN DETERMINATE THE DOMINANT COLOR OF THE INTERIOR.



Simon Basic

NEOS

Simon 54

Simon Basic

Simon Classic

Simon 15

Simon 27 Play

Simon Akord

Simon Aquarius

Technical information



KONTAKT simon

FUNCTIONALITY AND CLASSIC LOOK ARE MAIN CHARACTERISTICS OF BASIC MODULE SERIES WHICH WILL EVEN WORK IN UNUSUAL ARRANGEMENT. LIMITED, BUT ELEGANT COLOR PALETTE ALLOWS SUBTLE INCORPORATION OF SWITCHES AND SOCKETS IN PLACES LIKE APARTMENT, FLAT, LIVING ROOM OR OFFICE. SERIES INCLUDES A SINGLE FRAME AND MULTIPLE (UP TO 5-GANG), WHICH CAN BE MOUNTED EITHER HORIZONTALLY AND VERTICALLY. FUNCTIONALITY OF BASIC MODULE WAS IDEAL FOR OWNERS OF 300 YEARS OLD SERVANTS BUILDING CONVERTED INTO SPACIOUS APARTMENT.



Simon Basic

STANDARD



FRAMES Simon Basic

NEOS

Frame color: White
Module color: White



Frame color: Beige
Module color: Beige



Frame color: Inox steel
Module color: Inox steel



Frame color: Satin
Module color: Satin



Frame color: Silver matt
Module color: Silver matt



Frame color: Graphite matt
Module color: Graphite matt



Frame color: Chocolate
Module color: Chocolate



Frame color: Mint
Module color: White



Frame color: Ruby
Module color: White



Frame color: Sunny
Module color: White



Frame color: Lavender
Module color: White



Frame color: Lime
Module color: White



Frame color: Oak
Module color: Satin



Frame color: Mahogany
Module color: Silver matt



Silver lava
DRN1/74



FRAMES **Simon Basic** *STANDARD*

*Frame color: White
Module color: White*



*Frame color: Beige
Module color: Beige*



*Frame color: Inox steel
Module color: Inox steel*



*Frame color: Satin
Module color: Satin*



*Frame color: Inox steel
Module color: White*



*Frame color: Satin
Module color: White*



*Frame color: Inox steel
Module color: Graphite matt*



*Frame color: White
Module color: Silver matt*



KONTAKT simon

SWITCHES AND SOCKETS

TECHNICAL ADVANTAGES



Safe sockets

Protected against inserting objects other than the plug.




Multiple frames

Can be used horizontally and vertically.

Modular double socket

for multiple frames allow to create a set with 10 sockets in one 5-gang frame.



4 colors including two metallized

white, beige, inox steel, satin.




Simon Basic Neos

15 frame colors, 7 rocker/cover colors.





Bridge base stripes

help to keep the vertical and horizontal direction of multiple sets.



Metal mounting claws

presses the frame to the bridge hiding imperfections in installation box and provide fast and reliable assembly.



Double socket

fitted with shutters to minimize a risk of being electrocuted even with socket cover removed.



Simon Basic module K45

This innovative series of electro-installation equipment allows expanding teletechnical installation. Elements with size 45 x 45, such as multimedia badges, switches or sockets used only in Simon Connect series, now can be integrated with Basic module series by means of special adaptor.

PRODUCTS COMPLETION SCHEME

SWITCHES AND PUSH-BUTTONS



switch or push-button
module

+



frame

ILLUMINATED SWITCHES AND PUSH-BUTTONS



switch or push-button
module

+



frame



Optionally WKSE condenser for low-energy light bulbs. Together with illuminated switch it eliminates flashing of low-energy light bulb after switching off. WKSE condenser shall be connected parallelly to the cube connector of the lamp with low-energy bulbs.

IP44 SINGLE SWITCHES AND PUSH BUTTONS (SPASH PROOF)



IP44 frame sealing for
switches and sockets (sold
together with IP44 frame)

+



switch or socket
module

+



IP44 splash-proof frame

IP44 DOUBLE SWITCHES AND PUSH BUTTONS (SPASH PROOF)



IP44 frame sealing for
switches and sockets (sold
together with IP44 frame)

+



double switch module

+



IP44 splash-proof frame

+



NU1W seal

SOCKETS



socket module

+



frame

IP44 SOCKETS (SPLASH PROOF)



IP44 frame sealing for switches and sockets (sold together with IP44 frame)

+



switch or push button module

+



IP44 splash-proof frame

IT / TELEPHONE SOCKET OUTLETS



IT / telephone or mixed socket module

+



frame

ELECTRONIC PRODUCTS



electronic product module

+



frame

PRODUCTS MOUNTED IN THE SHALLOW SURFACE BOX



for 1 product



for 2 products



for 3 products

+



complete product

PRODUCTS MOUNTED IN THE DEEP SURFACE BOX PSC (2 PIECES IN 1 SET)



1 product: 1 x PSC



2 products: 1 x PSC + 1 x PSB



3 products: 1 x PSC + 2 x PSB

+



complete product



4 products: 1 x PSC + 3 x PSB



5 products: 1 x PSC + 4 x PSB


White	Beige	Inox steel	^{NEW} Graphite matt	Satin	^{NEW} Silver matt	^{NEW} Chocolate
11	12	21	28	29	43	47

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

IP20 AND IP44* SWITCHES

	BMW1.01/..	Single pole switch (module), 10 AX, 250 V~, screw terminals	10
	BMW1A.01/..	Single pole switch (module), 16 AX, 250 V~, screw terminals	10



	BMW1.01/22	Single pole switch (module), 10 AX, 250 V~, screw terminals, red	10
---	----------------------------	--	----

	BMW1L.01/..	Illuminated single pole switch (module), 10 AX, 250 V~, screw terminals	10
	BMW1ZL.01/..	Illuminated single pole switch (module), 10 AX, 250 V~, screw terminals	10

	BMW5.01/..	Two-circuit switch (module), 10 AX, 250 V~, screw terminals.**	10
	BMW5A.01/..	Two-circuit switch (module), 16 AX, 250 V~, screw terminals.**	10
	BMW5L.01/..	Illuminated two-circuit switch (module), 10 AX, 250 V~, screw terminals	10



	BMW5.01/22	Two-circuit switch (module), 10 AX, 250 V~, screw terminals, in red**	10
	BMW5.01/33 ^{NEW}	Two-circuit switch (module), 10 AX, 250 V~, screw terminals, green**	10

* IP splash proofness after applying IP44 frames with seal (page 81–86).

** IP44 splash proofness after applying additional rocker sealing NU1W (see accessories, page 89).

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

	BMW6.01/..	Two-way switch (module), 10 AX, 250 V~, screw terminals	10
	BMW6A.01/..	Two-way switch (module), 16 AX, 250 V~, screw terminals	10
	BMW6.01/22	Two-way switch (module), 10 AX, 250 V~, screw terminals, red	10
	BMW6L.01/..	Illuminated two-way switch (module), 10 AX, 250 V~, screw terminals	10
  Double two-way switch One double switch takes less space. Used on staircase landing where each button switches light at the top or bottom of the stairs. 			
	BMW6/2.01/..	Double two-way switch (module), 10 AX, 250 V~, screw terminals.**	10
	BMW6/2L.01/..	Illuminated double two-way switch (module), 10 AX, 250 V~, screw terminals	10
	BMW7.01/..	Intermediate switch (module), 10 AX, 250 V~, screw terminals	10

* IP splash proofness after applying IP44 frames with seal (page 81–86).

** IP44 splash proofness after applying additional rocker sealing NU1W (see accessories, page 89).

White	Beige	Inox steel	^{NEW} Graphite matt	Satin	^{NEW} Silver matt	^{NEW} Chocolate
11	12	21	28	29	43	47

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)


	BMW7L.01/..	Illuminated intermediate switch (module), 10 AX, 250 V~, screw terminals	10
	BMD1.01/..	Single "bell" push button (module), 10 AX, 250 V~, screw terminals	10
	BMD1A.01/..	Single "bell" push button (module), 16 AX, 250 V~, screw terminals	10
	BMD1L.01/..	Illuminated single "bell" push button (module), 10 AX, 250 V~, screw terminals	10
	BMS1.01/..	Single "light" push button (module), 10 AX, 250 V~, screw terminals	10
	BMS1A.01/..	Single "light" push button (module), 16 AX, 250 V~, screw terminals	10
	BMS1.01/22	Single "light" push button (module), 10 AX, 250 V~, screw terminals, red	10
	BMS1L.01/..	Illuminated single "light" push button (module), 10 AX, 250 V~, screw terminals	10
	BMS1L24V.01/.. ^{NEW}	Illuminated single "light" push button (module), 10 AX, 24 V, screw terminals	10
	BMP1.01/..	Single contact push button without pictogram (module) 10 AX, 250 V~, screw terminals	10

* IP splash proofness after applying IP44 frames with seal (page 81–86).

** IP44 splash proofness after applying additional rocker sealing NU1W (see accessories, page 89).

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

	BMP1L.01/..	Illuminated single contact push button without pictogram (module) 10 AX, 250 V~, screw terminals	10
	BMP2.01/..	Double, two-circuit push button (module) 10 AX, 250 V~, screw terminals.**	10
 Single break push button Used in systems with electromagnet to break the current connected all the time. 			
	BMPR1.01/..	Single, break push button without pictogram (module) 10 AX, 250 V~, screw terminals	10
	BMZ1.01/..	Roller blind push button (module), 10 AX, 250 V~, screw terminals.**	10
	BMWZ1.01/..	Roller blind switch (module), 10 AX, 250 V~, screw terminals.**	10
	BMW2.01/..	Double pole switch (module), 10 AX, 250 V~, screw terminals	10
	BMW2A.01/..	Double pole switch (module), 16 AX, 250 V~, screw terminals	10


* IP splash proofness after applying IP44 frames with seal (page 81–86).

** IP44 splash proofness after applying additional rocker sealing NU1W (see accessories, page 89).

White	Beige	Inox steel	^{NEW} Graphite matt	Satin	^{NEW} Silver matt	^{NEW} Chocolate
11	12	21	28	29	43	47

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

	BMW2.01/22	Double pole switch (module), 10 AX, 250 V~, screw terminals, red	10
	BMW2.01/33	Double pole switch (module), 10 AX, 250 V~, screw terminals, green	10
	BMW2L.01/..	Illuminated double pole switch (module), 10 AX, 250 V~, screw terminals	10

IP20 SWITCHES

	BMW1H.02/..	Illuminated single hotel room switch, I_{max} 10(2) A. Assembly with screws	10
	BMW2H.02/..	Illuminated double hotel room switch I_{max} 10(2) A. Assembly with screws	10
	BMW1K.01/..	Single pole switch with a key, 2 position "0-I", contact N/O, key removable in every position	20
	BMP1K.01/..	Single pole momentary switch with a key, 2 position "0-I", contact N/O, key removable only in "0" position	20
	BMWZK.01/..	Roller blind switch with a key, 3 position "I-0-II", 2 contacts N/O, key removable in every position	20
	BMPZK.01/..	Roller blind momentary switch with a key, 3 position "I-0-II", 2 contacts N/O, key removable only in "0" position	20

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

SOCKETS

	BMGZ2M.01/..	Double socket outlet with earthing (module), Σ16 A, 250 V~, screw terminals	10
	BMGZ2Mz.01/..	Double socket outlet with earthing and shutters (module), Σ16 A, 250 V~, screw terminals	10
	BMG2M.01/..	Double socket outlet without earthing (module), Σ16 A, 250 V~, screw terminals	10
	BMG2Mz.01/..	Double socket outlet without earthing, with shutters (module), Σ16 A, 250 V~, screw terminals	10
	BMGZ2/.. ^{NEW}	Double socket outlet with earthing (complete), Σ16 A, 250 V~, screw terminals ⚠ Not suitable for multiple frames	10
	BMGZ2z/.. ^{NEW}	Double socket outlet with earthing and shutters (complete), Σ16 A, 250 V~, screw terminals ⚠ Not suitable for multiple frames	10
	BMG2/.. ^{NEW}	Double socket outlet without earthing (complete), Σ16 A, 250 V~, screw terminals ⚠ Not suitable for multiple frames	10
	BMG2z/.. ^{NEW}	Double socket outlet without earthing, with shutters (complete), Σ16 A, 250 V~, screw terminals ⚠ Not suitable for multiple frames	
	BMGZ1.01/..	Socket outlet with earthing (module), 16 A, 250 V~, screw terminals	10
	BMGZ1z.01/..	Socket outlet with earthing, with shutters (module), 16 A, 250 V~, screw terminals	10
	BMGZ1c.01/..	Socket outlet with earthing (module), 16 A, 250 V~, push-in fittings	10
	BMGZ1cz.01/..	Single socket outlet without earthing, with shutters, (module), 16 A, 250 V~, push-in fittings	10
	BMGZD.01/22	Socket outlet with earthing (module), 16 A, 250 V~, screw terminals, red	10
	BMGZ1z.01/22	Socket outlet with earthing, with shutters (module), 16 A, 250 V~, screw terminals, red	

White	Beige	Inox steel	^{NEW} Graphite matt	Satin	^{NEW} Silver matt	^{NEW} Chocolate
11	12	21	28	29	43	47



How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

	BMGZ1z.01/33	Socket outlet with earthing, with shutters (module) 16 A, 250 V~, screw terminals, green	10
	BMG1.01/..	Socket outlet without earthing (module), 16 A, 250 V~, screw terminals	10
	BMG1z.01/..	Socket outlet without earthing, with shutters, (module), 16 A, 250 V~, screw terminals	10
	BMGZ1B.01/..	IP44 splash-proof socket outlet with earthing, (module) 16A, 250 V~, screw terminals White or beige flap  IP44 class only with frames: 1. splash-proof frames with seal: BMR1B/.., BMR2B/.., BMR3B/.. or 2. BWR1/.., BMR2/.., BMR3/.., BMR4/.., BMR5/.. + additional frame seal respectively: NU1, NU2, NU3, NU4, NU5	10
	BMGZ1Bz.01/..	IP44 splash-proof socket outlet with earthing, with shutters (module), 16A, 250 V~, screw terminals. White or beige flap  IP44 class only with frames: 1. splash-proof frames with seal: BMR1B/.., BMR2B/.., BMR3B/.. or 2. BWR1/.., BMR2/.., BMR3/.., BMR4/.., BMR5/.. + additional frame seal respectively: NU1, NU2, NU3, NU4, NU5	10
	BMGZ1B.01/..a	IP44 splash-proof socket outlet with earthing, (module) 16A, 250 V~, screw terminals Transparent flap  IP44 class only with frames: 1. splash-proof frames with seal: BMR1B/.., BMR2B/.., BMR3B/.. or 2. BWR1/.., BMR2/.., BMR3/.., BMR4/.., BMR5/.. + additional frame seal respectively: NU1, NU2, NU3, NU4, NU5	10
	BMGZ1Bz.01/..a	IP44 splash-proof socket outlet with earthing, with shutters (module), 16A, 250 V~, screw terminals. Transparent flap  IP44 class only with frames: 1. splash-proof frames with seal: BMR1B/.., BMR2B/.., BMR3B/.. or 2. BWR1/.., BMR2/.., BMR3/.., BMR4/.., BMR5/.. + additional frame seal respectively: NU1, NU2, NU3, NU4, NU5	10
	BMGZ1Bz.01/22a	IP44 splash-proof socket outlet with earthing, with shutters (module), 16A, 250 V~, screw terminals, red. Transparent flap  IP44 class only with frames: 1. splash-proof frames with seal: BMR1B/.., BMR2B/.., BMR3B/.. or 2. BWR1/.., BMR2/.., BMR3/.., BMR4/.., BMR5/.. + additional frame seal respectively: NU1, NU2, NU3, NU4, NU5	10
	BMGZ1Bz.01/33a	IP44 splash-proof socket outlet with earthing, with shutters (module), 16A, 250 V~, screw terminals, green. Transparent flap  IP44 class only with frames: 1. splash-proof frames with seal: BMR1B/.., BMR2B/.., BMR3B/.. or 2. BWR1/.., BMR2/.., BMR3/.., BMR4/.., BMR5/.. + additional frame seal respectively: NU1, NU2, NU3, NU4, NU5	10

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

	BMGD1.01/..	DATA socket outlet with earthing and socket protection element (module), 16 A, 250 V~, screw terminals	10
	BMGD1.01/22	DATA socket outlet with earthing and socket protection element (module), 16 A, 250 V~, screw terminals, red	10
	BMGD1.01/33	DATA socket outlet with earthing and socket protection element (module), 16 A, 250 V~, screw terminals, green	10
  DATA socket Red DATA socket for separated circuits to plug only an authorized devices. 			
	BMGD1B.01/22 NEW	IP44 DATA socket outlet with earthing and socket protection element (module), 16 A, 250 V~, screw terminals, red. DATA symbol on flap ! IP44 class only with frames: 1. splash-proof frames with seal: BMR1B/.., BMR2B/.., BMR3B/.. or 2. BWR1/.., BMR2/.., BMR3/.., BMR4/.., BMR5/.. + additional frame seal respectively: NU1, NU2, NU3, NU4, NU5	10
	BMGE.02/..	Equipotential socket (module), screw terminals	10

White	Beige	Inox steel	^{NEW} Graphite matt	Satin	^{NEW} Silver matt	^{NEW} Chocolate
11	12	21	28	29	43	47

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

	BMGSz1.01/..	Socket outlet with Schuko earthing (module), 16 A, 250 V~, screw terminals	10
	BMGSz1z.01/..	Socket outlet with Schuko earthing, with shutters, (module), 16 A, 250 V~, screw terminals	10
	BGSZ2/..	Double socket outlet with Schuko earthing (complete), 16 A, 250 V~, screw terminals ❗ Not suitable for multiple frames	
	BGSZ2Z/..	Double socket outlet with Schuko earthing, with shutters (complete), 16 A, 250 V~, screw terminals ❗ Not suitable for multiple frames	

AERIAL, LOUDSPEAKER AND HDMI SOCKETS

	BMZAR1/1.01/..	R-TV final aerial socket, separated (module), attenuation TV- 1.0 dB, R-1.5 dB	10
	BMZAPxx/1.01/..	R-TV pass-through aerial socket, (module), attenuation xx = 10, 14, 16, 18, 20, 23 dB	10
	BMZAK10/1.01/..	R-TV final aerial socket for pass-through sockets (module), attenuation TV-10 dB, R-11 dB	10
	BMZAR-SAT1.3/1.01/..	R-TV-SAT final aerial socket (module) attenuation: SAT, TV and R-1.5 dB. Can be use as pass-through socket	10
	BMZAR-SAT10/P.01/..	R-TV-SAT pass-through aerial socket (module) attenuation: SAT-8 dB, TV-10 dB, R-12 dB	10
	BMZAR+SAT3.1-P2.01/..	Double final SAT-SAT-RTV aerial socket (module), attenuation: SAT-0.5 dB, SAT2-1.5 dB, RTV-0.5 dB. input frequency SAT: 5-2400 MHz; RTV: 5-862 MHz	10
	BMAD.01/..	R-TV-DATA socket (module), attenuation: DATA-3dB, TV-10dB, R-14dB, input frequency 5-862 MHz	10

White	Beige	Inox steel	^{NEW} Graphite matt	Satin	^{NEW} Silver matt	^{NEW} Chocolate
11	12	21	28	29	43	47

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour


Packaging unit (pcs)

	BMAK3.01/..	Single final aerial socket, (module) - replacing BMAK1.01	10
	BMAD1.01/..	DATA-TV aerial socket (module), two outputs type "F", attenuation: DATA-4 dB, TV-5 dB, input frequency 5-1000 MHz	
	BMAF1.01/11 ^{NEW}	Single aerial socket (module), type „F“	
	BMAF2.01/11 ^{NEW}	Double aerial socket (module), type „F“	
	BMAFRJ45.01/11 ^{NEW}	Aerial socket type „F“ + RJ45 socket cat.6 (module)	
	BMGL31.01/..	Single loudspeaker socket (module). Input and output wire up to 2,5 mm². Assembly with screws and claws	10

White	Beige	Inox steel	^{NEW} Graphite matt	Satin	^{NEW} Silver matt	^{NEW} Chocolate
11	12	21	28	29	43	47

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)



BMGL3.01/..

Double loudspeaker socket (module). Input and output wire up to 2,5 mm². Assembly with screws and claws

10



BMGL34.01/..
^{NEW}

Quadruple loudspeaker socket (module). Input and output wire up to 2,5 mm². Assembly with screws and claws

10



BMGL2.02/..

Single loudspeaker socket (module), output wire up to 6 mm², assembly only with screws

10




BMGLP2.02/..

Double loudspeaker socket (module), assembly with screws and claws
* Limited stock

10

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)



	BMGHDMI.01/..	Single HDMI socket (module)	
	BMGHDMI2.01/..	Double HDMI socket (module)	
	BMGHRJ45.01/.. ^{NEW}	HDMI socket + RJ45 socket cat.6. (module)	

IT / TELEPHONE SOCKETS

	BMTU.01/..	RJ11 single universal telephone socket (module), assembly with screws and claws	10
	BMT0.01/..	RJ11 telephone socket with surge protection (module)	10
	BMTF1.02/..	RJ11 telephone socket (module), assembly with screws	10

White	Beige	Inox steel	^{NEW} Graphite matt	Satin	^{NEW} Silver matt	^{NEW} Chocolate
11	12	21	28	29	43	47


How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

	BMTF2.02/..	RJ11 double telephone socket (module), assembly with screws	10
	BMT1.02/..	RJ12 telephone socket (module) assembly with screws	10
	BMT2.02/..	RJ12 double telephone socket, assembly with screws	10
	BMF51.02/..	RJ45 single computer socket (module) cat. 5e, assembly with screws	10
	BMF52.02/..	RJ45 double computer socket (module) cat. 5e, assembly with screws	10
	BMF5T.02/..	RJ45 computer socket cat. 5e + RJ11 telephone socket (module), assembly with screws	10
	BM5T.02/.. ^{NEW}	RJ45 computer socket cat. 5e + RJ12 telephone socket (module), assembly with screws	10
	BM61.01/.. ^{NEW}	RJ45 single computer socket cat. 6, with antidust cover (module) Assembly with screws and claws	10

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

	BM61E.01/.. ^{NEW}	RJ45 single computer socket cat. 6 (shielded), with antidust cover (module) Assembly with screws and claws	10
	BM62.01/.. ^{NEW}	RJ45 double computer socket cat. 6, with antidust cover (module) Assembly with screws and claws	10
  IT socket RJ45 With anti-dust covers to protect socket contacts. 			
	BM62E.01/.. ^{NEW}	RJ45 double computer socket cat. 6 (shielded), with antidust cover (module) Assembly with screws and claws	10
	BMPT/..	Double flat IT/telephone socket cover, Keystone, assembly with screws or claws  Dedicated RJ45 inserts below	10
	BMGK1P/..	Double flat IT/telephone socket cover, Keystone, assembly with screws  Dedicated RJ45 inserts below	10

White	Beige	Inox steel	^{NEW} Graphite matt	Satin	^{NEW} Silver matt	^{NEW} Chocolate
11	12	21	28	29	43	47

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

	BMGKS2P.01/..	Double angled cover for IT/Telephone socket with descriptive field, Keystone Assembly with screws or claws ! Dedicated RJ45 inserts below	10
	BMGKS2P/.. BMGPS2P.02/.. ^{NEW}	Double angled cover for IT/Telephone socket with descriptive field, Keystone Assembly with screws or claws ! Dedicated RJ45 inserts below Double angled cover for Telephone RJ12 type Pendult sockets with descriptive field Assembly with screws or claws	10
	BWB/..	Cap for computer and telephone socket hole	50

TELEPHONE SOCKET INSERTS

	RJ11	RJ11 telephone socket insert ! In BMPT cover - set claws in vertical position	100
	RJ12	RJ12 telephone socket insert, Leviton	100

IT SOCKET INSERTS

Category 5e – UTP (unshielded)

	CJ545U	RJ45 computer socket insert, cat. 5e UTP, Simon Connect	
	ARJ455e	RJ45 computer socket insert cat. 5e UTP, AMP	
	KRJ455e	RJ45 computer socket insert cat. 5e UTP, Krone type HK ! In BMPT cover - set claws in vertical position	
	LRJ455e	RJ45 computer socket insert cat. 5e UTP, Leviton	

White	Beige	Inox steel	^{NEW} Graphite matt	Satin	^{NEW} Silver matt	^{NEW} Chocolate
11	12	21	28	29	43	47

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

	MRJ455e	RJ45 computer socket insert, cat. 5e UTP, Molex
---	---------	---

Category 5e – FTP/STP (shielded)

	CJ545FM	RJ45 computer socket insert cat. 5e UTP, AMP ⚠ In BMPT cover - set claws in vertical position
	KRJ455ekr	RJ45 computer socket insert, cat. 5e STP, Krone type HK ⚠ In BMPT cover - set claws in vertical position
	LRJ455ekr	RJ45 computer socket insert, cat. 5e STP, Leviton

Category 6 – UTP (unshielded)

	CJ645U	RJ45 computer socket insert, cat. 6 UTP, Simon Connect
	ARJ456	RJ45 computer socket insert, cat. 6 UTP, AMP
	KRJ456	RJ45 computer socket insert cat. 6 UTP, Krone, type KM8 ⚠ In BMPT cover - set claws in vertical position
	LRJ456	RJ45 computer socket insert cat. 6 UTP, Leviton
	MRJ456	RJ45 computer socket insert, cat.6 UTP, Molex

Category 6 – FTP/STP (shielded)

	CJ645FM	RJ45 computer socket insert cat. 6 FTP, Simon Connect ⚠ In BMPT cover - set claws in vertical position
	KRJ456ekr	RJ45 computer socket insert cat. 6 STP, Krone, type KM8 ⚠ In BMPT cover - set claws in vertical position
	LRJ456ekr	RJ45 computer socket insert, cat. 6 STP, Leviton

White	Beige	Inox steel	^{NEW} Graphite matt	Satin	^{NEW} Silver matt	^{NEW} Chocolate
11	12	21	28	29	43	47

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)


Category 6a – UTP (unshielded)

	LRJ456A	RJ45 computer socket insert, cat. 6a UTP, Leviton
---	---------	---

Category 6a – FTP/STP (shielded)


	FRJ456Aekr	RJ45 computer socket insert, cat. 6a STP, FMT
	LRJ456Aekr	RJ45 computer socket insert, cat. 6a STP, Leviton

ELECTRONIC PRODUCTS

	BMS9T.01/..	Rotary-push dimmer (module), 20-500 W, 230V~ 	10
	BMS9V.01/..	Regulator 1-10 V~ (module), for switching on and controlling light with control feeders 1-10 V~ 	10








Switch with motion sensor


Motion detector switches light on and off to save energy.

	BMCR10P.01/..	Motion sensor switch with rely (module) 8 (2) A, 230 V~ 3-wire installation required 	10
---	---------------	---	----

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)


	BMCR10T.01/..	Motion sensor switch with rely (module) 20-500 W      	10
	BMCR11P.01/..	Motion sensor switch with rely protected againsts unauthorised access (module), 8 (2) A, 230 V~ Dedicated for public buildings  3-wire installation required  maks. 2000 W  maks. 1000 W maks. 450 VA	10
	BMCR11T.01/..	Motion sensor switch with rely protected againsts unauthorised access (module), 20-500 W Dedicated for public buildings      	10
	BMRT10W.02/..	Temperature regulator with outer sensor (module), 16 A, 230 V~ Assembly with screws	10





Temperature regulator

Regulator together with inner or outer sensor work ideally with under floor heating.



	BMRT10Z.02/..	Temperature regulator with outer sensor (module) 16 A, 230 V~, outer sensor (sunder) code NTC-03 not included. Assembly with screws	10
---	----------------------	--	----


White	Beige	Inox steel	^{NEW} Graphite matt	Satin	^{NEW} Silver matt	^{NEW} Chocolate
11	12	21	28	29	43	47

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

	NTC-03	Outer sensor for MRT10Z/.. on 3mtr wire	15
---	--------	---	----

OTHER PRODUCTS

	BMA45/..	Adapter for moduls 45x45mm, assembly with screws	10
	BMA45M/..	Adapter for moduls 45x45mm, assembly with screws	10
	BMPS.01/..	Frame blind (module). Assembly with screws or claws	10
	BMP/..	Frame blind - assembly with latches to the frame	10
	BMKW1/22	Single red rocker	10
	BMKW1/33 ^{NEW}	Single green rocker	10

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

	BMKW1L/22	Single red rocker with an eye for illuminated switches and push buttons	10
	BMKW1L/33	Single green rocker with an eye for illuminated switches and push buttons	10
	BMKWK1/..	Single push button with "key" symbol	10

SIMON BASIC NEOS FRAMES

Classic line

	BMRC1/11	WHITE Single Neos frame IP20	40
	BMRC1B/11	Single Neos frame IP44 with seal	20
	BMRC2/11	Double Neos frame IP20	25
	BMRC2B/11	Double Neos frame IP44 with seal	10
	BMRC3/11	Triple Neos frame IP20	20
	BMRC4/11	Quadruple Neos frame IP20	20
	BMRC5/11	5-gang Neos frame IP20	20
	BMRC1/12	BEIGE Single Neos frame IP20	40
	BMRC1B/12	Single Neos frame IP44 with seal	20
	BMRC2/12	Double Neos frame IP20	25
	BMRC2B/12	Double Neos frame IP44 with seal	10
	BMRC3/12	Triple Neos frame IP20	20
	BMRC4/12	Quadruple Neos frame IP20	20
	BMRC5/12	5-gang Neos frame IP20	20

White	Beige	Inox steel	^{NEW} Graphite matt	Satin	^{NEW} Silver matt	^{NEW} Chocolate
11	12	21	28	29	43	47


How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

	BMRC1/28	GRAPHITE MATT	Single Neos frame IP20	40
	BMRC1B/28		Single Neos frame IP44 with seal	20
	BMRC2/28		Double Neos frame IP20	25
	BMRC2B/28		Double Neos frame IP44 with seal	10
	BMRC3/28		Triple Neos frame IP20	20
	BMRC4/28		Quadruple Neos frame IP20	20
	BMRC5/28		5-gang Neos frame IP20	20

	BMRC1/47	CHOCOLATE	Single Neos frame IP20	40
	BMRC1B/47		Single Neos frame IP44 with seal	20
	BMRC2/47		Double Neos frame IP20	25
	BMRC2B/47		Double Neos frame IP44 with seal	10
	BMRC3/47		Triple Neos frame IP20	20
	BMRC4/47		Quadruple Neos frame IP20	20
	BMRC5/47		5-gang Neos frame IP20	20


Metallized line

	BMRC1/21	INOX STEEL	Single Neos frame IP20	40
	BMRC1B/21		Single Neos frame IP44 with seal	20
	BMRC2/21		Double Neos frame IP20	25
	BMRC2B/21		Double Neos frame IP44 with seal	10
	BMRC3/21		Triple Neos frame IP20	20
	BMRC4/21		Quadruple Neos frame IP20	20
	BMRC5/21		5-gang Neos frame IP20	20

	BMRC1/29	SATIN	Single Neos frame IP20	40
	BMRC1B/29		Single Neos frame IP44 with seal	20
	BMRC2/29		Double Neos frame IP20	25
	BMRC2B/29		Double Neos frame IP44 with seal	10
	BMRC3/29		Triple Neos frame IP20	20
	BMRC4/29		Quadruple Neos frame IP20	20
	BMRC5/29		5-gang Neos frame IP20	20

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

	BMRC1/43	SILVER MATT	Single Neos frame IP20	40
	BMRC1B/43		Single Neos frame IP44 with seal	20
	BMRC2/43		Double Neos frame IP20	25
	BMRC2B/43		Double Neos frame IP44 with seal	10
	BMRC3/43		Triple Neos frame IP20	20
	BMRC4/43		Quadruple Neos frame IP20	20
	BMRC5/43		5-gang Neos frame IP20	20

Decorative line

	BMRC1/050	MAHOGANY	Single Neos frame IP20	40
	BMRC1B/050		Single Neos frame IP44 with seal	20
	BMRC2/050		Double Neos frame IP20	25
	BMRC2B/050		Double Neos frame IP44 with seal	10
	BMRC3/050		Triple Neos frame IP20	20
	BMRC4/050		Quadruple Neos frame IP20	20
	BMRC5/050		5-gang Neos frame IP20	20

	BMRC1/051	OAK	Single Neos frame IP20	40
	BMRC1B/051		Single Neos frame IP44 with seal	20
	BMRC2/051		Double Neos frame IP20	25
	BMRC2B/051		Double Neos frame IP44 with seal	10
	BMRC3/051		Triple Neos frame IP20	20
	BMRC4/051		Quadruple Neos frame IP20	20
	BMRC5/051		5-gang Neos frame IP20	20


	BMRC1/052	TITANIUM	Single Neos frame IP20	40
	BMRC1B/052		Single Neos frame IP44 with seal	20
	BMRC2/052		Double Neos frame IP20	25
	BMRC2B/052		Double Neos frame IP44 with seal	10
	BMRC3/052		Triple Neos frame IP20	20
	BMRC4/052		Quadruple Neos frame IP20	20
	BMRC5/052		5-gang Neos frame IP20	20

White	Beige	Inox steel	^{NEW} Graphite matt	Satin	^{NEW} Silver matt	^{NEW} Chocolate
11	12	21	28	29	43	47

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour


Packaging unit (pcs)

Color line


	BMRC1/032	MINT	Single Neos frame IP20	40
	BMRC1B/032		Single Neos frame IP44 with seal	20
	BMRC2/032		Double Neos frame IP20	25
	BMRC2B/032		Double Neos frame IP44 with seal	10
	BMRC3/032		Triple Neos frame IP20	20
	BMRC4/032		Quadruple Neos frame IP20	20
	BMRC5/032		5-gang Neos frame IP20	20
	BMRC1/033	RUBY	Single Neos frame IP20	40
	BMRC1B/033		Single Neos frame IP44 with seal	20
	BMRC2/033		Double Neos frame IP20	25
	BMRC2B/033		Double Neos frame IP44 with seal	10
	BMRC3/033		Triple Neos frame IP20	20
	BMRC4/033		Quadruple Neos frame IP20	20
	BMRC5/033		5-gang Neos frame IP20	20
	BMRC1/034	SUNNY	Single Neos frame IP20	40
	BMRC1B/034		Single Neos frame IP44 with seal	20
	BMRC2/034		Double Neos frame IP20	25
	BMRC2B/034		Double Neos frame IP44 with seal	10
	BMRC3/034		Triple Neos frame IP20	20
	BMRC4/034		Quadruple Neos frame IP20	20
	BMRC5/034		5-gang Neos frame IP20	20
	BMRC1/035	LAVENDER	Single Neos frame IP20	40
	BMRC1B/035		Single Neos frame IP44 with seal	20
	BMRC2/035		Double Neos frame IP20	25
	BMRC2B/035		Double Neos frame IP44 with seal	10
	BMRC3/035		Triple Neos frame IP20	20
	BMRC4/035		Quadruple Neos frame IP20	20
	BMRC5/035		5-gang Neos frame IP20	20

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

	BMRC1/036	Single Neos frame IP20	40
	BMRC1B/036	Single Neos frame IP44 with seal	20
	BMRC2/036	Double Neos frame IP20	25
	BMRC2B/036	Double Neos frame IP44 with seal	10
	BMRC3/036	Triple Neos frame IP20	20
	BMRC4/036	Quadruple Neos frame IP20	20
	BMRC5/036	5-gang Neos frame IP20	20

Surface mounted boxes for Simon Basic Neos frames



Surface mounted boxes

Deep box contains C and H shaped elements which can be joined together without any tools to create a multiple installation boxes.




	PSCS/.. ^{NEW}	Single surface mounted box deep (40 mm) for assembly (1 PSC = 2 pcs) ! AVAILABLE IN COLORS: 11 12 21 28 29 43 47	10
	PSH/.. ^{NEW}	Surface mounted box deep (40 mm) – "H" element for multiple frames ! AVAILABLE IN COLORS: 11 12 21 28 29 43 47	10

White	Beige	Inox steel	^{NEW} Graphite matt	Satin	^{NEW} Silver matt	^{NEW} Chocolate
11	12	21	28	29	43	47

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)


SIMON BASIC STANDARD FRAMES

	BMR1/11	WHITE Single Standard frame IP20	40
	BMR1B/11	Single Standard frame IP44 with seal	20
	BMR2/11	Double Standard frame IP20	25
	BMR2B/11	Double Standard frame IP44 with seal	10
	BMR3/11	Triple Standard frame IP20	20
	BMR3B/11	Triple Standard frame IP44 with seal	10
	BMR4/11	Quadruple Standard frame IP20	20
	BMR5/11	5-gang Standard frame IP20	20
	BMR1/12	BEIGE Single Standard frame IP20	40
	BMR1B/12	Single Standard frame IP44 with seal	20
	BMR2/12	Double Standard frame IP20	25
	BMR2B/12	Double Standard frame IP44 with seal	10
	BMR3/12	Triple Standard frame IP20	20
	BMR3B/12	Triple Standard frame IP44 with seal	10
	BMR4/12	Quadruple Standard frame IP20	20
	BMR5/12	5-gang Standard frame IP20	20
	BMR1/21	INOX STEEL Single Standard frame IP20	40
	BMR1B/21	Single Standard frame IP44 with seal	20
	BMR2/21	Double Standard frame IP20	25
	BMR2B/21	Double Standard frame IP44 with seal	10
	BMR3/21	Triple Standard frame IP20	20
	BMR3B/21	Triple Standard frame IP44 with seal	10
	BMR4/21	Quadruple Standard frame IP20	20
	BMR5/21	5-gang Standard frame IP20	20
	BMR1/29	SATIN Single Standard frame IP20	40
	BMR1B/29	Single Standard frame IP44 with seal	20
	BMR2/29	Double Standard frame IP20	25
	BMR2B/29	Double Standard frame IP44 with seal	10
	BMR3/29	Triple Standard frame IP20	20
	BMR3B/29	Triple Standard frame IP44 with seal	10
	BMR4/29	Quadruple Standard frame IP20	20
	BMR5/29	5-gang Standard frame IP20	20

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

Surface mounted boxes for Simon Basic Standard frames



	PSC/.. NEW	Single surface mounted box deep (40 mm) for assembly (1 PSC = 2 pcs) ! AVAILABLE IN COLORS: 11 12 21 29	10
	PSH/.. NEW	Surface mounted box deep (40 mm) – "H" element for multiple frames ! AVAILABLE IN COLORS: 11 12 21 29	10
	MPN1/..	Single surface mounted box shallow (31 mm) ! AVAILABLE IN COLORS: 11 12 21 29	20
	MPN2/..	Double surface mounted box shallow (31 mm) ! AVAILABLE IN COLORS: 11 12 21 29	10
	MPN3/..	Triple surface mounted box shallow (31 mm) ! AVAILABLE IN COLORS: 11 12 21 29	6

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

IP44 FRAME SEALS FOR SIMON BASIC NEOS AND SIMON BASIC STANDARD

	NUC1	Single frame seal for Neos frame ! IP44 splash-proof class only with socket BMGZ1B and BMGD1B.01/22	15
	NU1	Single frame seal for Standard frame ! IP44 splash-proof class only with socket BMGZ1B and BMGD1B.01/22	
	NUC2	Double frame seal for Neos frame ! IP44 splash-proof class only with socket BMGZ1B and BMGD1B.01/22	10
	NU2	Double frame seal for Standard frame ! IP44 splash-proof class only with socket BMGZ1B and BMGD1B.01/22	
	NUC3	Triple frame seal for Neos frame ! IP44 splash-proof class only with socket BMGZ1B and BMGD1B.01/22	10
	NU3	Triple frame seal for Standard frame ! IP44 splash-proof class only with socket BMGZ1B and BMGD1B.01/22	
	NUC4	Quadruple frame seal for Neos frame ! IP44 splash-proof class only with socket BMGZ1B and BMGD1B.01/22	10
	NU4	Quadruple frame seal for Standard frame ! IP44 splash-proof class only with socket BMGZ1B and BMGD1B.01/22	
	NUC5	5-gang frame seal for Neos frame ! IP44 splash-proof class only with socket BMGZ1B and BMGD1B.01/22	10
	NU5	5-gang frame seal for Standard frame ! IP44 splash-proof class only with socket BMGZ1B and BMGD1B.01/22	

How to order: SYMBOL/.. in place of the dotted line, please insert the number of the selected colour

Packaging unit (pcs)

ACCESSORIES

	WKSL	Bursts eliminator for energy saving bulbs and LEDs. Dedicated to equipment Kontakt-Simon
	00965591PEHA	Equipotential plug, sold separately
	GL3	Additional inserts for loudspeaker socket BMGL3.01 (set of 2)
	KGD1	Plug protection element for DATA socket
	NU1W	Sealing insert for double IP44 switches